CONTENTS OF VOLUME XXV

Memoirs

		PAGE
I.	A Study of the Naga Skull. By ELISABETH KITSON and G. M. MORANT	1
II.	The Albanians of the North and South. (1) Introductory Account of Measurements and Photographs taken in 1929. By MIRIAM L. TILDESLEY. (2) Discussion of Miss Tildesley's Measurements. By THE STAFF OF THE BIOMETRIC LABORATORY	21
III.	A Comparison of the Semi-invariants of the Distributions of Moment and Semi-invariant Estimates in Samples from an Infinite Population. By JOHN WISHART	52
IV.	An Empirical Age Scale. By DRYSDALE ANDERSON	61
V.	The Probability Integral of the Correlation Coefficient in Samples from a Normal Bivariate Population. By F. GARWOOD	71
VI.	A Further Note on the Relation between the Median and the Quartiles in Small Samples from a Normal Population. By TOKISHIGE HOJO	79
VII.	A Further Study of Methods of Constructing Life Tables when Certain Causes of Death are Eliminated. By M. NOEL KARN	91
VIII.	A Test of the Significance of the Difference of the Correlation Coefficients in Normal Bivariate Samples. By FRED A. BRANDER	102
IX.	Plural Births with a New Pedigree. By JULIA BELL	110
X.	On Correlation Functions of Type III. By S. D. WICKSELL	121
XI.	On the Parent Population with Independent Variates which gives the Minimum Value of ϕ^2 for a Given Sample. By KARL PEARSON	134
XII.	The Skulls from Excavations at Dunstable, Bedfordshire. By DORIS DINGWALL and MATTHEW YOUNG	147
XIII.	On the Application of the Double Bessel Function $\mathfrak{K}_{\tau_1, \tau_2}(x)$ to Statistical Problems. By KARL PEARSON	158

PAGE

XIV. The Cranial Coordinatograph, the Standard Planes of the Skull, and the Value of Cartesian Geometry to the Craniologist, with some Illustrations of the Uses of the New Method. By KARL PEARSON 217

XV. A Study of Twelfth and Thirteenth Dynasty Skulls from Kerma (Nubia). By MARGOT COLLETT 254

XVI. On the Likelihood that one Unknown Probability exceeds another in view of the Evidence of two Samples. By WILLIAM R. THOMPSON 285

XVII. On Asymptotic Formulae for the Hypergeometric Series. I. Hypergeometric Series in which the fourth Element, x, is Unity. By O. L. DAVIES 295

XVIII. The Body Build of American-born Japanese Children. By P. M. SUSKI. 323

XIX. Methods of Statistical Analysis appropriate for k samples of two Variables. By E. S. PEARSON and S. S. WILKS 353

XX. On a Method of determining whether a sample of size n supposed to have been drawn from a Parent Population having a known Probability Integral has probably been drawn at random. By KARL PEARSON 379

Miscellanea

(i) Adjustments for the Moments of J-shaped Curves. By W. PALIN ELDERTON 179

(ii) Note on Mr. Palin Elderton's Corrections to the Moments of J-Curves. By KARL PEARSON 180

(iii) A General Expression for the Moments of Certain Symmetrical Functions of Normal Samples. By R. C. GEARY . 184

(iv) A Statistical Study of the Daucus Carota L. By WILLIAM DOWELL BATEN 186

(v) On a Property of the Mean Ranges in Samples from a Normal Population and on some Integrals of Prof. T. Hojo. By Prof. V. ROMANOVSKY 195

(vi) Note on the Shrinkage of Physical Characters in Man and Woman with Age, as an illustration of the use of χ^2, P Methods. By PAMELA C. V. LESSER 197

PAGE

(vii) On the Distribution of Student's Ratio for Samples of Three Drawn from a Rectangular Distribution. By VICTOR PERLO 203

(viii) The Distribution of $\sqrt{\beta_1}$ in Samples of Four from a Normal Universe. By A. T. MCKAY 204

(ix) Note on Mr McKay's Paper. EDITORIAL 210

(x) Note on the Fitting of Frequency Curves. EDITORIAL . . 213

(xi) The Distribution of β_2 in Samples of Four from a Normal Universe. By A. T. MCKAY 411

(xii) A Note on the Distribution of Range in Samples of n. By A. T. MCKAY and E. S. PEARSON 415

(xiii) On a Recurrence Relation connected with the Double Bessel Functions $\mathcal{K}_{\tau_1,\tau_2}(x)$ and $T_{\tau_1,\tau_2}(x)$. By CONSTANCE M. RIGBY 420

List of Plates, etc.

Biometrika Portrait Series, No. X. SIR WILLIAM PETTY, Knight, painted by J. Closterman and engraved by I. Smith *Frontispiece*

(*a*) *E. Kitson and G. M. Morant:* A Study of the Naga Skull.

Plate I. Normal Males, Normal Females and Juveniles, Naga Crania . . . . . *to face page* 1

Plate II. Typical Male Naga Skull. *Norma facialis.* (R.C.S. 6·6231) . . . . . " " 6

Plate III. Typical Male Naga Skull. *Norma lateralis.* (R.C.S. 6·6231) . . . . . " " "

Plate IV. A. Typical Male Naga Skull. *Norma verticalis.* (R.C.S. 6·6231).

B. Male Naga Skull (R.C.S. 6·6232) with Wormian bones in place of nasal bones.

C. Male Naga Skull (1927 series, B.L. No. 44) showing the unerupted third left molar horizontal and preventing the second molar from erupting . . . . . " " "

One folding table of Individual Measurements of Naga Skulls " " 20

Two cranial contours on tissues in pocket at end of volume.

(β) *M. L. Tildesley:* The Albanians of the North and South.

Plate I. Type Silhouette of the Northern Albanian Group *to face page* 42

Plate II. Type Silhouette of the Southern Albanian Group „ „ „

Plate III. Albanians of the North (1st Series), Moslems . „ „ 50

Plate IV. Albanians of the North (2nd Series), Moslems and Catholic . . . . . „ „ „

Plate V. Albanians of the South, Moslems and Orthodox Greek . . . . . „ „ „

Two type contours on tissues in pocket at end of volume.

(γ) *Julia Bell:* Plural Births with a New Pedigree.

Plate of Pedigrees of Plural Births . . . . . „ „ 117

(δ) *D. Dingwall and M. Young:* The Skulls from Excavations at Dunstable, Bedfordshire.

Folding Plate of Male Mandibular Measurements of Dunstable Skulls . . . . . „ „ 154

Plate I. Typical Male Skull, No. 18. *Norma facialis* . „ „ „

Plate II. Typical Male Skull, No. 18. *Norma lateralis* . „ „ „

Plate III. Typical Male Skull, No. 18. *Norma verticalis* . „ „ „

Plate IV. Typical Male Skull, No. 18. *Norma occipitalis* . „ „ „

Plate V. Typical Male Skull, No. 18. *Norma basalis* . . „ „ „

Plate VI. Male Mandible, Skull No. 18. (*a*) *Norma verticalis* „ „ „

(*b*) *Norma lateralis* „ „ „

(ε) *William Dowell Baten:* A Statistical Study of the Daucus Carota L.

Plate I. Flower and Bracts of Daucus Carota . . . „ „ 186

(ζ) *K. Pearson:* The Cranial Coordinatograph and the Standard Planes of the Skull, etc.

Plate I. *Normae facialis et occipitalis* of a Hindu Skull, showing how widely a plane bisecting the Auricular Axis and perpendicular to it diverges from the "mid-sagittal points" . . . . „ „ 252

Plate II. *Norma lateralis* (R. and L.) of a Hindu Skull, showing the customary transverse Vertical Plane and Frankfurt Plane . . . . . „ „ „

Plate III. *Normae verticalis et basalis* of a Hindu Skull, showing deviation of Plane through mid-porion perpendicular to Auricular Axis from the "mid-sagittal points" on these aspects of the Skull . *to face page* 252

Plate IV. Plan and Elevation Models of the chief "mid-sagittal points" for a Fuegian and an Egyptian (Nubian) Skull . . . . . " " "

Plate V. Plan and Elevation Models of the chief "mid-sagittal points" in the cases of an Arab and a Teita Negro Skull . . . . . " " "

Plate VI. Plan and Elevation Models of the "mid-sagittal points" of an English and a Hindu Skull . " " "

Plate VII. (*a*) First Form of Cranial Coordinatograph with Skull on Skull Staddle and independent Projectors. (*b*) Final Form of Cranial Coordinatograph, combining apparatus for rendering vertical any Cranial Line with a Pearson Projector . . . . . " " "

In both figures the Coordinatograph is arranged so that the Auricular Axis of the Skull is perpendicular to the Plan.

Plate VIII. Symmetricised portraits of Oliver Cromwell, and of his Death Mask . . . . . " " "

Plate IX. Full-Face Natural Portrait of a Lady with symmetricised portraits of Left and Right sides of Face . . . . . " " "

Plate X. Natural *Norma facialis* of an Egyptian Skull with symmetricised *Normae faciales* of Right and Left sides . . . . . " " "

(*η*) *Margot Collett:* A Study of Twelfth and Thirteenth Dynasty Skulls from Kerma (Nubia).

Plate I. Typical Male Kerma Skull. *Norma facialis* . " " 284

Plate II. Typical Male Kerma Skull. *Norma lateralis* (Left Profile) . . . . . " " "

Plate III. (*a*) Typical Male Kerma Skull. *Norma verticalis.* (*b*) Male Skull, showing Holes supposed to have been made by Insects after Death . . . " " "

Plate IV. (*a*) Male Skull with wounds on the Parietal and Malar Bones. (*b*) Female Skull with large Wormian bones between the Temporal Squama and Parietal Bone . . . . . *to face page* 284

Plate V. (*a*) Female Skull, showing diseased areas on either side of the Lambda. (*b*) Male Skull, showing constriction of the basi-occipital, where it unites with the Sphenoid. (*c*) Male Skull with a wound below the Right Orbit. (*d*) Female Skull, showing failure of the Tympanic Elements to unite . . . . . ,, ,, ,,

Plate VI. (*a*) Male Skull with the sockets of two teeth other than molars lacking. (*b*) Female Skull with no sockets for lateral incisors. (*c*) Female Skull with no sockets for the left canine and right third molar. (*d*) Male Skull with sockets for three incisors only . . . . . ,, ,, ,,

With four folding tables of Individual Measurements . . ,, ,, ,,

Six contours in pocket at end of volume.